



BAGUE DE RETENUE / RETAINING RING



	Description		Page
A	Bague de retenue extérieure	Ring Retaining External	507-510
B	Bague de retenue intérieure	Ring Retaining Internal	511-513
C	Joint torique	O-Ring Seal	514

Bague de retenue extérieure


External Retaining Ring



D Tige/Saft	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
1/8	.112	.010	.117	.012	3100 0012		
5/32	.142	.010	.146	.012	3100 0015		
3/16	.168	.015	.175	.018	3100 0018		
.197	.179	.015	.185	.018	3100 0019		
7/32	.196	.015	.205	.018	3100 0021		
15/64	.215	.015	.222	.018	3100 0023		
1/4	.225	.025	.230	.029	3100 0025		
.276	.250	.025	.255	.029	3100 0027		
9/32	.256	.025	.261	.029	3100 0028		
5/16	.281	.025	.290	.029	3100 0031		
11/32	.309	.025	.321	.029	3100 0034		
.354	.320	.025	.330	.029	3100 0035		
3/8	.338	.025	.352	.029	3100 0037		
.394	.354	.025	.369	.029	3100 0039		
13/32	.366	.025	.382	.029	3100 0040		
7/16	.395	.025	.412	.029	3100 0043		
15/32	.428	.025	.443	.029	3100 0046		
1/2	.461	.035	.468	.039	3100 0050		
.551	.509	.035	.519	.039	3100 0055		
9/16	.512	.035	.530	.039	3100 0056		
19/32	.550	.035	.559	.039	3100 0059		
5/8	.579	.035	.588	.039	3100 0062		
.669	.621	.035	.629	.039	3100 0066		
43/64	.621	.035	.631	.039	3100 0067		
11/16	.635	.042	.646	.046	3100 0068		
3/4	.693	.042	.704	.046	3100 0075		
25/32	.722	.042	.733	.046	3100 0078		
13/16	.751	.042	.762	.046	3100 0081		
27/32	.780	.042	.791	.046	3100 0084		
7/8	.810	.042	.821	.046	3100 0087		
15/16	.867	.042	.882	.046	3100 0093		
63/64	.910	.042	.926	.046	3100 0098		
1	.925	.042	.940	.046	3100 0100		

Bague de retenue extérieure

External Retaining Ring




D Tige/Saft	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
1.023	.946	.042	.961	.046	3100 0102		
1-1/16	.982	.050	.998	.056	3100 0106		
1-1/8	1.041	.050	1.059	.056	3100 0112		
1-3/16	1.098	.050	1.118	.056	3100 0118		
1-1/4	1.156	.050	1.176	.056	3100 0125*		
1-5/16	1.214	.050	1.232	.056	3100 0131		
1-3/8	1.272	.050	1.291	.056	3100 0137		
1-7/16	1.333	.050	1.350	.056	3100 0143		
1-1/2	1.387	.050	1.406	.056	3100 0150		
1-9/16	1.446	.062	1.468	.068	3100 0156		
1-5/8	1.503	.062	1.529	.068	3100 0162		
1-11/16	1.560	.062	1.589	.068	3100 0168		
1-3/4	1.618	.062	1.650	.068	3100 0175		
1.772	1.637	.062	1.669	.068	3100 0177		
1-13/16	1.675	.062	1.708	.068	3100 0181		
1-7/8	1.735	.062	1.769	.068	3100 0187		
1-31/32	1.819	.062	1.857	.068	3100 0196		
2	1.850	.062	1.886	.068	3100 0200		
2-1/16	1.906	.078	1.946	.086	3100 0206		
2-1/8	1.964	.078	2.003	.086	3100 0212		
2-5/32	1.993	.078	2.032	.086	3100 0215		
2-1/4	2.081	.078	2.120	.086	3100 0225		
2-5/16	2.139	.078	2.178	.086	3100 0231		
2-3/8	2.197	.078	2.239	.086	3100 0237		
2-7/16	2.255	.078	2.299	.086	3100 0243		
2-1/2	2.313	.078	2.360	.086	3100 0250		
2.559	2.377	.078	2.419	.086	3100 0255		
2-5/8	2.428	.078	2.481	.086	3100 0262		
2-11/16	2.485	.078	2.541	.086	3100 0268		
2-3/4	2.543	.093	2.602	.103	3100 0275		
2-7/8	2.659	.093	2.721	.103	3100 0287		
2-15/16	2.717	.093	2.779	.103	3100 0293		
3	2.775	.093	2.838	.103	3100 0300		

* Forte/Heavy (1460 0125)

Dimensions non codifiées : Prix et livraison sur demande
Non-listed sizes : Price and delivery on application


Bague de retenue extérieure

External Retaining Ring



D Tige/Saft	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
3-1/16	2.832	.093	2.898	.103	3100 0306		
3-1/8	2.892	.093	2.957	.103	3100 0312		
3-5/32	2.920	.093	2.986	.103	3100 0315		
3-1/4	3.006	.093	3.076	.103	3100 0325		
3-11/32	3.092	.093	3.166	.103	3100 0334		
3-7/16	3.179	.093	3.257	.103	3100 0343		
3.543	3.277	.109	3.357	.120	3100 0354		
3-3/4	3.468	.109	3.552	.120	3100 0375		
3-15/16	3.642	.109	3.734	.120	3100 0393		
4	3.700	.109	3.792	.120	3100 0400		
4-1/4	3.989	.109	4.065	.120	3100 0425		
4-1/2	4.223	.109	4.310	.120	3100 0450		
4-3/4	4.458	.109	4.550	.120	3100 0475		
5	4.692	.109	4.790	.120	3100 0500		
5-1/4	4.927	.125	5.030	.139	3100 0525		
6	5.631	.125	5.745	.139	3100 0600		
7	6.570	.156	6.705	.174	3100 0700		

Bague de retenue extérieure External Retaining Ring




Acier carbone Carbon Spring Steel	Acier inoxydable Stainless Steel PH 15-7 Mo	Tige/Shaft S	Bague/Ring				Rainure/Groove	
			T	D	C	C1	G	W
		.040	.010	.025	.079	.090	.026	.012
		1/16	.010	.051	.140	.150	.052	.012
		1/16	.020	.051	.187	.200	.052	.023
		1/16	.010	.051	.156	.165	.052	.012
		3/32	.015	.069	.230	.245	.074	.020
		3/32	.015	.073	.187	.200	.074	.020
		7/64	.015	.076	.375	.390	.079	.020
		1/8	.015	.094	.230	.240	.095	.020
		9/64	.015	.100	.203	.215	.102	.020
		9/64	.015	.108	.250	.265	.110	.020
		9/64	.025	.102	.270	.285	.105	.029
		5/32	.025	.114	.282	.295	.116	.029
		11/64	.025	.125	.312	.325	.127	.029
		3/16	.025	.122	.375	.390	.125	.029
		3/16	.025	.140	.335	.350	.147	.029
		7/32	.025	.185	.437	.450	.188	.029
1500 0025*		1/4	.025	.207	.527	.540	.210	.029
	1000 0031	5/16	.025	.243	.500	.520	.250	.029
		3/8	.035	.300	.660	.680	.303	.039
		7/16	.035	.337	.687	.710	.343	.039
		7/16	.035	.375	.600	.620	.380	.039
1500 0050*		1/2	.042	.392	.800	.820	.396	.046
		5/8	.042	.480	.940	.960	.485	.046
		3/4	.050	.616	1.000	1.020	.625	.056
		3/4	.050	.574	1.120	1.140	.580	.056
		7/8	.050	.668	1.300	1.320	.675	.056
		1	.050	.822	1.500	1.530	.835	.056
		1-3/16	.062	1.066	1.626	1.670	1.079	.068
		1-3/8	.062	1.213	1.875	1.920	1.230	.068

* Zingué / Zinc Plated

Bague de retenue intérieure


Internal Retaining Ring



D Encastrement/ Housing	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
1/4	.280	.015	.268	.018	3000 0025		
5/16	.346	.015	.330	.018	3000 0031		
3/8	.415	.025	.397	.029	3000 0037		
7/16	.482	.025	.461	.029	3000 0043		
29/64	.498	.025	.477	.029	3000 0045		
1/2	.548	.035	.530	.039	3000 0050		
.512	.560	.035	.542	.039	3000 0051		
9/16	.620	.035	.596	.039	3000 0056		
5/8	.694	.035	.665	.039	3000 0062		
11/16	.763	.035	.732	.039	3000 0068		
3/4	.831	.035	.796	.039	3000 0075		
.777	.859	.042	.825	.046	3000 0077		
13/16	.901	.042	.862	.046	3000 0081		
.866	.961	.042	.920	.046	3000 0086		
7/8	.971	.042	.931	.046	3000 0087		
.901	1.000	.042	.959	.046	3000 0090		
15/16	1.041	.042	1.000	.046	3000 0093		
1	1.111	.042	1.066	.046	3000 0100		
1.023	1.136	.042	1.091	.046	3000 0102		
1-1/16	1.180	.050	1.130	.056	3000 0106		
1-1/8	1.249	.050	1.197	.056	3000 0112		
1-3/16	1.319	.050	1.262	.056	3000 0118		
1-1/4	1.388	.050	1.330	.056	3000 0125		
1-5/16	1.456	.050	1.396	.056	3000 0131		
1-3/8	1.526	.050	1.461	.056	3000 0137		
1-7/16	1.596	.050	1.528	.056	3000 0143		
1.456	1.616	.050	1.548	.056	3000 0145		
1-1/2	1.660	.050	1.594	.056	3000 0150		
1-9/16	1.734	.062	1.658	.068	3000 0156		
1-5/8	1.804	.062	1.725	.068	3000 0162		
1.653	1.835	.062	1.755	.068	3000 0165		
1-11/16	1.874	.062	1.792	.068	3000 0168		
1-3/4	1.942	.062	1.858	.068	3000 0175		

Bague de retenue intérieure


Internal Retaining Ring



D Encastrement/ Housing	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
1-13/16	2.012	.062	1.922	.068	3000 0181		
1.850	2.054	.062	1.962	.068	3000 0185		
1-7/8	2.072	.062	1.989	.068	3000 0187		
1-15/16	2.141	.062	2.056	.068	3000 0193		
2	2.210	.062	2.122	.068	3000 0200		
2-1/16	2.280	.078	2.186	.086	3000 0206		
2-1/8	2.350	.078	2.251	.086	3000 0212		
2-3/16	2.415	.078	2.318	.086	3000 0218		
2-1/4	2.490	.078	2.382	.086	3000 0225		
2-5/16	2.560	.078	2.450	.086	3000 0231		
2-3/8	2.630	.078	2.517	.086	3000 0237		
2-7/16	2.702	.078	2.584	.086	3000 0244		
2-1/2	2.775	.078	2.648	.086	3000 0250		
2-5/8	2.910	.093	2.781	.103	3000 0262		
2.677	2.980	.093	2.837	.103	3000 0313		
2-11/16	2.980	.093	2.848	.103	3000 0268		
2-3/4	3.050	.093	2.914	.103	3000 0275		
2-13/16	3.121	.093	2.980	.103	3000 0281		
2-7/8	3.191	.093	3.051	.103	3000 0287		
3	3.325	.093	3.182	.103	3000 0300		
3-1/16	3.418	.109	3.248	.120	3000 0306		
3-1/8	3.488	.109	3.315	.120	3000 0312		
3-5/32	3.523	.109	3.348	.120	3000 0315		
3-1/4	3.623	.109	3.446	.120	3000 0325		
3-11/32	3.734	.109	3.546	.120	3000 0334		
3-1/2	3.890	.109	3.710	.120	3000 0350		
3.543	3.936	.109	3.755	.120	3000 0354		
3-3/4	4.157	.109	3.974	.120	3000 0375		
3-7/8	4.291	.109	4.107	.120	3000 0387		
3-15/16	4.358	.109	4.174	.120	3000 0393		
4	4.424	.109	4.240	.120	3000 0400		
4-1/8	4.558	.109	4.365	.120	3000 0412		
4-1/4	4.691	.109	4.490	.120	3000 0425		


Bague de retenue intérieure

Internal Retaining Ring



D Encastrement/ Housing	A	T	G	W	Acier ressort nu Carbon Spring Steel Plain	Acier ressort zingué Carbon Spring Steel Zinc Plated	Acier inoxydable Stainless Steel PH 15-7 Mo
4.331	4.756	.109	4.571	.120	3000 0433		
4-1/2	4.940	.109	4.750	.120	3000 0450		
4-3/4	5.213	.109	4.995	.120	3000 0475		
5	5.485	.109	5.260	.120	3000 0500		
5-1/4	5.770	.125	5.520	.139	3000 0525		
5-1/2	6.066	.125	5.770	.139	3000 0550		
6	6.620	.125	6.270	.139	3000 0600		
6-1/2	7.170	.156	6.790	.174	3000 0650		
6-3/4	7.445	.156	7.055	.174	3000 0675		
8	8.820	.187	8.360	.209	3000 0800		
8-3/4	9.558	.187	9.145	.209	3000 0875		
9	9.830	.187	9.405	.209	3000 0900		

Joint torique O-Ring Seal



**DISPONIBLE EN PLUSIEURS DIMENSIONS
AVAILABLE IN MANY SIZES**